


Lithium-Ion Risk Prevention System





Introducing Lithium-Ion Risk Prevention System

Lithium-Ion battery technology is leading the way while continuously evolving for Energy Storage Systems (ESS). The systems will vary in materials of construction and configuration depending on use and application. Larger batteries are often found in ESS.



Introducing

Lithium-Ion Risk Prevention System

The advancement in Lithium-lon battery technology that can be used in place of, or additionally to more traditional UPS (Uninterrupted Power Supply) technologies, is further driving the growth in demand for Lithium-lon battery technology.

The demand for power is expanding globally, but some markets are moving at a quicker pace where there are huge investments in Lithium-lon battery technology. As regulations become more stringent and financing more readily available, the growth will spread to other regions.

However, Lithium-Ion batteries can pose severe risk if a cell begins to operate abnormally, resulting in an increase in temperature, which if not addressed could lead to a thermal runaway event.

Thermal runaway would normally start in a single cell before thermal propagation

creates a domino effect into adjacent cells, causing an increase in temperature in each of those cells. This can often lead to a destructive sequence of events which could continue for several hours or even days as each cell is consumed.

One of the early warning signs of a problem is the production of off-gases, and if detected early enough can allow actions to be taken that may prevent such a catastrophic event.


The Lithium-Ion Risk Prevention System is designed to monitor the batteries and detect these off-gases/toxic vapors in order to provide an early warning detection.
There are two Lithium-Ion Risk Prevention Monitoring Sensors used in the system: a reference sensor and a monitoring sensor. The reference sensor provides surrounding ambient air data to the controller, while the monitoring sensor is placed within the battery racks or racking system to allow

for capturing data relating to the air directly adjacent to the Lithium-lon batteries. The controller is constantly monitoring both the ambient environment and battery rack air for changes of less than 1 ppm of Lithium-lon off-gas compounds.

The system is seeking to detect the presence of off-gases, indicating the early stages of battery cell malfunction prior to thermal runaway. The system will communicate with the battery management system, to shut down the failing batteries and, when combined with the AUTOPULSE detection and INERGEN® or SAPPHIRE® Fire Suppression Systems, may activate the suppression system to mitigate off-gas ignition, while providing local and remote alarms to inform personnel and emergency response teams.



Lithium-Ion Battery Failure Stages



Lithium-Ion Risk
Prevention System
offers advanced early failure
monitoring of Lithium-Ion
batteries by detecting
off-gases.

1

Stage 1: Battery Abuse

Thermal, Electrical or Mechanical abuse

2

Stage 2: Off-Gas Generation

Time to take ACTION

3


Stage 3: Smoke Generation

Catastrophic failure is imminent

4

Stage 4: Fire Generation

Propagation occurrence



Introducing

Lithium-Ion Risk Prevention System


Features and Benefits

- Lithium-lon battery technology for Energy Storage Systems
- Provides an early warning detection of off-gases/toxic vapors
- 5 second response time
- For use with AUTOPULSE Detection and INERGEN® or SAPPHIRE® Fire Suppression Systems
- Patent pending

Applications

- Wind Farms
- Solar Farms
- · Data Center/Battery Rooms
- Battery Manufacturers
- Engineering, Procurement and Construction (EPCs) companies





About Johnson Controls

At Johnson Controls, we transform the environments where people live, work, learn and play. From optimizing building performance to improving safety and enhancing comfort, we drive the outcomes that matter most. We deliver our promise in industries such as healthcare, education, data centers and manufacturing. With a global team of 105,000 experts in more than 150 countries and over 130 years of innovation, we are the power behind our customers' mission. Our leading portfolio of building technology and solutions includes some of the most trusted names in the industry, such as Tyco_®, York[®], Metasys[®], Ruskin[®], Titus[®], Frick[®], Penn[®], Sabroe[®], Simplex[®], ANSUL_® and Grinnell[®].

For more information, contact your regional Fire Suppression product representative, or visit www.ansul.com

Americas

One Stanton Street Marinette, WI 54143 USA

Tel: +1 715 735 7415

Email:

InsideSales-Americas-SpecHaz@tycoint.com

Europe

Burlingham House, Hewett Road, Gapton Hall Industrial Estate, Great Yarmouth, Norfolk, NR31 ONN, United Kingdom

Tel: +44 (0) 1493 417600

Email: gy.custserv.international@tycoint.com

Asia

2, Serangoon North Avenue 5, #07-01, Singapore, 554911 Tel: (65) 6577 4360

Email: FSP.InsideSales.SG@jci.com

Middle East & Africa

Tyco Building Services Products BV – Dubai Branch – Rep. Office Suite 1704, API World Tower, Sheikh Zayed, P.O. Box 502937, Dubai, United Arab Emirates

Tel: +971 4 309 9999

Email: FSP.InsideSales.AE@jci.com

